

NAME

ZMailer::mailq – Perl extension for interaction with the scheduler

SYNOPSIS

```
use ZMailer::mailq;

# Connect to server
$zmq = ZMailer::mailq::new('hostname', '174');

# Debug flag value
( $rc, $text ) = $zmq->setdebug(1);

# Login to the scheduler server
( $rc, $text ) = $zmq->login('nobody', 'nobody');

# Bye bye to the server
( $rc, $text ) = $zmq->bye();

# Examples of SHOW commands: (see ZMailer's scheduler(8)
# man-page about "MAILQv2 PROTOCOL")
( $rc, @lines ) = $zmq->showcmd("SHOW SNMP");
( $rc, @lines ) = $zmq->showcmd("SHOW COUNTERS");
( $rc, @lines ) = $zmq->showcmd("SHOW QUEUE SHORT");
( $rc, @lines ) = $zmq->showcmd("SHOW QUEUE THREADS");
( $rc, @lines ) = $zmq->showcmd("SHOW THREAD $channel $host");
```

ABSTRACT

ZMailer scheduler's management protocol interface: 'mailq'.

DESCRIPTION

This is part of ZMailer MTA software suite

These routines can be used to build tools to monitor, and manage scheduler queue in ZMailer.

The '\$rc' value is '+' or '-' (ok/fail), and \$text or @lines is the real response.

EXPORT

None by default.

SEE ALSO

ZMailer's *scheduler*(8), and *mailq*(1)

AUTHOR

Matti Aarnio, <mea@nic.funet.fi>

COPYRIGHT AND LICENSE

Copyright 2003 by Matti Aarnio

This is part of ZMailer MTA software suite